

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2533	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L2	6995	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L3	2190	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L4	8514	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L5	280	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L6	3707373	strid\$3 calculat\$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L7	224	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (strid\$3 calculat\$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L8	33	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L9	33	((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L10	8	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L11	7	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L12	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22

L13	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L14	1477	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L15	2533	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L16	6995	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L17	2190	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L18	8514	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L19	3707373	strid\$3 calculat\$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L20	224	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (strid\$3 calculat\$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L21	1477	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L22	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L23	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L24	33	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22

L25	33	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L26	8	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L27	7	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L28	280	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L29	2533	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L30	6995	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L31	2190	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L32	8514	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L33	3707373	strid\$3 calculat\$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L34	224	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (strid\$3 calculat\$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L35	1477	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L36	2533	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22

L37	6995	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L38	2190	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L39	8514	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L40	3707373	strid\$3 calculat\$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L41	224	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (strid\$3 calculat\$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L42	1477	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L43	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L44	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L45	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L46	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L47	33	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L48	33	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22

L49	8	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L50	7	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L51	33	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L52	33	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L53	8	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L54	7	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L55	280	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L56	280	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
L57	8	("5822788" "99" "6055622" "90" "4888679" "90" "5752037" "90" "6311260" "90" "5941981" "87" "5694568" "87" "5193167" "78").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/10/27 13:22
S1	1189	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/17 14:02
S2	2113	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S3	6046	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18

S4	1762	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S5	7254	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S6	229	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:18
S7	3320649	strid\$3 calculat\$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:19
S8	178	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (strid\$3 calculat\$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:19
S9	25	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:20
S10	25	((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/14 12:00
S11	7	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:33
S12	6	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/09 14:40
S13	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/10 15:53
S14	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/15 14:20
S19	2246	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52

S20	6341	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S21	1894	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S22	7647	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S23	245	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S24	3432833	strid\$3 calculat\$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S25	192	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (strid\$3 calculat\$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S26	26	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S27	26	((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S28	7	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S29	6	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S30	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S31	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52

S32	1275	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/01/10 07:52
S33	2396	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S34	6678	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S35	2039	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S36	8088	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S37	258	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S38	3582963	strid\$3 calculat\$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S39	204	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (strid\$3 calculat\$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S40	29	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S41	29	((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S42	8	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S43	7	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08

S44	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S45	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S46	1383	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S47	2396	optimiz\$5 near5 compiler	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S48	6678	prefetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S49	2039	pre adj fetch	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S50	8088	prefetch (pre adj fetch)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S51	3582963	strid\$3 calculat\$3 length distance	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S52	204	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and (strid\$3 calculat\$3 length distance)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S53	1383	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S54	1	"5933643".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S55	1	"20030088864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08

S56	29	((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S57	29	((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S58	8	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S59	7	(((((prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)) and stride) and loop) and induction adj variable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S60	258	(prefetch (pre adj fetch)) and (optimiz\$5 near5 compiler)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:08
S61	8	("5822788" "99" "6055622" "90" "4888679" "90" "5752037" "90" "6311260" "90" "5941981" "87" "5694568" "87" "5193167" "78").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/17 12:09